

COVID-19 experiences in Taipei: From rapid action to constructing an agile and resilient epidemic prevention system

Division Chief of Disease Control,
Department of Health, Taipei City Government

Hui-Mei Chang



Search by Country, Territory, or Area



[Overview](#)

[Measures](#)

[Table View](#)

[Data](#)

[More Resources](#)

WHO Coronavirus (COVID-19) Dashboard

[Back to top](#)


Globally, as of 6:24pm CET, 11 January 2023, there have been 660,378,145 confirmed cases of COVID-19, including 6,691,495 deaths, reported to WHO. As of 5 January 2023, a total of 13,107,022,929 vaccine doses have been administered.

Global Situation




660,378,145

confirmed cases



6,691,495

deaths





Source: World Health Organization
Data may be incomplete for the current day or week.


2020-2023.1 Daily Domestic and Imported COVID-19 Cases in Taipei City (Onset Date)

Updated: 14:00, 2023.1.5

2020-2023.1.5	
Total Cases	911,349
Infection Rate	36.75%
Deaths	1,674
Case Fatality Rate	0.18%







The accessible strategies were intended to ease medical loading. Within 36 days, 8,532 people were tested, and 419 confirmed cases were identified.


Community Screening Station

COVID-19 Central Epidemic Command Center (CECC) 2021/5/11
Epidemic Warning Standards and Guidelines

(1) Random Cases of Community Transmission from Abroad	(2) Local Cases of Unknown Sources	(3) More than 3 cases of community transmission in one week, or more than 10 confirmed local cases of unknown sources in one day	(4) Rapid increase of local confirmed cases (a daily average of over 100 confirmed cases for 14 days) and the infection chain of half of the cases cannot be identified.
Wear face masks all the time when taking mass transportation and entering crowded public areas.	Those who do not wear face masks will be fined.	Wear face masks all the time when you go out.	Do not go out unless necessary (with the exception of grocery shopping, healthcare and necessary work). When you go out, wear face masks and keep social distancing all the time.
Unnecessary gatherings of unspecified participants and activities of close contact are recommended to be canceled or postponed.	Organizers of gatherings and activities should adopt measures that ensure social distancing and mask-wearing, use partitions, keep a record of participants' contact information, take temperatures, sanitize environments, and institute crowd flow control, capacity limits and route arrangement. Organizers failing to adopt these measures should cancel their activities.	Indoor gatherings of more than 5 people and outdoor gatherings of more than 10 people will be canceled.	Cancel all gatherings and activities.
Business and venue management units should keep a record of customers' contact information, adopt social distancing, sanitize environments, and take temperatures and measures to fight the disease.	Business owners should activate crowd flow control measures, and those failing to take these measures should suspend their business. When necessary, entertainment and leisure businesses and public areas will be closed.	Businesses and public areas will be closed, with the exception of those that are providing life maintaining, essential, and healthcare services and maintaining order.	Schools, colleges, and work should be suspended except for essential services, such as life maintaining, order maintaining, necessary healthcare and public affairs.
CECC will follow the guidelines according to the epidemic transmission condition.			



Confirmed cases per 100,000 residents by subdivision






圖 44 北士科車來速採檢動線圖

Traffic Flow of Beitou Shilin Technology

Drive-Thru



Telemedicine

通訊診療

請病人出示健保卡
若健保卡無相片，改請病人出示身份證

按 ● 開始錄影


出示證件後 按 ● 終止錄影



Virtual Appointment after Video Recording
The patient is required to show their NHI card. If their card doesn't have their photo they are asked to show their ID.
Press to start recording.

Last Updated: 14:00, 2023.1.5

2022.05 Second Wave



Medical Treatment at Hospital, Report

- 1. Telemedicine
- 2. Emergency Outpatient Service
- 3. Drive-Thru

COVID-19 Process of Triage

RDT Positive

Diagnosed and arrangement

Mild/Asymptomatic

Intermediate and Severe Symptoms

Home Care

Risk of Intermediate and Severe Symptoms

Specialized Wards



Group Quarantine

TAIWAN Data Period 2022/01/01-2023/01/07

Mild/Asymptomatic	Intermediate	Severe
99.55%	0.26%	0.19%