The prevention measures of the risk groups of HIV during COVID-19 pandemic in Taipei

Presenter: Chien Chun, Wang, M.D.

Director, Infectious disease division, Taipei City Hospital Kunming Branch Vice director, Taipei City Hospital Kunming Prevention and Control Center **17th Conference on Countermeasures to Combat Infectious Diseases in Asia**





Taipei City Hospital


- Linsen, Chinese Medicine, and Kunming Branch (Clinical service)
- Kunming Prevention and Control Center, KPCC (Public Health service)
- First specialized Sexually Transmitted Diseases (STD) clinic (1968) and HIV/STD clinic (1988) in Taipei
- Located in the Ximen area (Kunming Street, Wanhua District, Taipei)



Newly diagnosed HIV cases in Taipei (1984-2022)


Male: 6109 (97.2%) Female: 177 (2.8%)


Treatment as Prevention, Early Highly Active Anti-Retroviral Therapy (HAART), Pre-Exposure Prophylaxis (PrEP)




Risk factors analysis of HIV cases in Taipei

Major risk factors: **Sexual behavior** (97%), IV drug users (2.04%), Mother to Child transmission (0.11%), recipient of blood transfusion (0.06%) Sexual behavior: Men who have sex with men (MSM) 80%, Heterosexual 12%, Bisexual 8%





Confirmed COVID-19 cases in Taipei in 2021/05-08



Voluntary counseling and testing (VCT) in sex worker hot area of Wanhua district before outbreak

on <u>7th May 2021</u>, we carry out a HIV screening test of sex worker in Wanhua area, **219 cases** are screened totally.

Retrospectively analyzed, there are **23 cases** (22 female, 1 male) COVID-19 PCR+ 10 days later.

4 of our colleagues also get COVID-19 infection confirmed by PCR after this activity.



COVID-19 Alert level 3 in Taipei in May, 2021

 Central Epidemic Command Center (CECC) raises epidemic alert level for Taipei City and New Taipei City to Level 3 and strengthens national restrictions and measures, effective from May 15 2021, in response to increasing level of community transmission

A. National epidemic prevention measures:

- 1. Closure of leisure and entertainment venues: singing and dance venues, bars and clubs, KTVs, MTVs, hair salons, massage parlours, bowling alleys, pool halls, gyms, fitness and recreational centers (including facilities offering Shiatsu massage services, sauna rooms), arcades, Internet cafes, majiang clubs and other similar venues.
- 2. Religious rites and rituals: A halt to all pilgrimages and processions associated with temples or churches. Other events should ensure contact-information registration, social distancing and heightened disinfection measures;
- 3. Campuses in elementary and middle schools to be closed to the public;
- 4. A halt to all activities involving the handover of leadership of all sports and social clubs and societies.

COVID-19 Alert level 3 in Taipei in May, 2021

B. Measures imposed on **Taipei City and New Taipei City**, which are under a Level 3 epidemic alert, effective from May 15 2021

- 1. Closure of leisure and entertainment venues and other venues listed below: Sports, Exhibition venues and Educational facilities
- 2. Wear a mask outdoors
- 3. Avoid unnecessary movement, activities or gatherings
- 4. All family or social gatherings involving 5 or more people indoors or 10 or more people outdoors (those living together not included) are suspended
- 5. Self-health monitoring (those with symptoms should seek medical attention)

COVID-19 Alert level 3 in Taipei in May, 2021

- 6. Business venues and places where personal business is conducted should implement crowd and flow control and enforce the wearing of masks and social distancing
- 7. Workplaces should follow the epidemic prevention rules in the Guidelines for Enterprise Planning of Business Continuity in Response to the Coronavirus Disease 2019, and put individual and work place health management mechanisms into action, as well as measures to maintain business continuity (like working in multiple offices, distance working and flexible working hours)
- 8. Food and beverage vendors should use epidemic prevention measures, such as contact-information registration, social distancing and dividers. Those that cannot adopt those measures are urged to offer take-out services
- 9. Weddings and funerals should implement contact-information registration, social distancing and enhanced disinfection
- 10. Enhanced disinfection of public places and public transport

Intravenous drug user under methadone maintenance therapy (MMT)


- Methadone is a synthetic opioid agonist used for chronic pain and also used to **treat addiction to heroin** or other opioids
- Methadone is schedule 2 regulated drug, the patient needs to take the medicine **daily** in the hospital Methadone clinic at Taipei City Hospital Kunming Branch serves about **350 people/per day**
- Open 365 days/year
- Close to the needs of patients
- Independent elevator and exit to keep privacy







Drug Issue in Taipei



- Schedule 1 drug abusers are likely to take Heroin
- Schedule 2 drug abusers are likely to take Methamphetamine.
- Schedule 3 drug abusers are likely to take Ketamine.
 - From 2016 schedule 2 drug abusers are the most common
 cause of recreational drugs use, schedule 1 drug abusers decrease
 gradually

MMT Iris Recognition technology

Indoors service

(1) Patient enters the station



(4) Confirming that the patient takes the drug at the station

(6) Confirming that the drug has been swallowed



(2) Using the iris recognition technology for patient identification



(3) Confirming the dosages



(5) Discard the cup to the recycling bin



(7) Signature on prescription paper



(8) The patient leaves the station



Harm Reduction: Needle-Syringe Program (NSP)



The educational package





Continuation of the methadone maintenance service during COVID-19 pandemic <u>outdoor service</u>



Outdoor service, social distancing, traffic control





Health care worker personal protective equipment (PPE)

Automatic temperature check




Plastic curtain protect the health care worker




Pharmacists deliver the methadone to isolated cases at home

14

Confirmed COVID-19 cases in Taipei in 2021/05-08



Confirmed COVID-19 in People living with HIV (PLHIV) in Taipei in 2021/05-08 (most MSM)



Male/Female: 53/1 Age: 23-70, mean: 39.8, death: 2

Intervention measure

1. Contact tracing for special population (MSM)

2. Encourage screen for high risk group

3. Increase Vaccine Coverage rate

Contact tracing for the MSM population

- The major risk factor of HIV infection in Taipei is MSM.
- They use internet, or mobile phone app to connect other people and use nickname.
- This route is difficult for the identification for COVID-19 contactor.
- On line education program
- Define MSM cluster infection is also household cluster infection
- Avoid stigma and discrimination

Dn line	e e-lea	rning t	trainin	ig prog	gram fo	or COV	/ID-19 i	n
		M	SM p	oopula	tion			
R thet						▲ 網站導覽	● 趙玉芳(登出)	C
我的課程	選課中心	新手上路	最新消息	合作推廣	鮮活電子報	客服中心		
大好課讀起7	校] 10月 英	文大會考-測	你的英語硬	實力!	[Covid-19	防疫專區】	課程上線!	
 實體班期專區 公務人員學習時數查詢 公務人員學習時數查詢 (公務人員终考學習人口處) 舊平台數位課程繳費紀錄 完成學習本量 ●周處學習專區 		課程名碼: 雲端随行講堂-疫情調查人員教育訓練班(第1期)-特殊族群疫情調查 課程館介: 110年度雲端随行講堂-疫情調查人員教育訓練班第1期						
 主選罪 予約の課程 選び中心 個人資料 総表系统 		終身學習入口場戰別(類別代碼]: 機關業務知能訓練(具專業訓練性質)-衛生行政[20]						
		講師: 臺北市立聯合醫院昆明院區行政中心莊華主任						
 客服専區 ● 客服査詢 		學習認證資訊: 上課期間內,上線時間滿30分禮, 候發學習時數認證1小時。						
		其他注意事項: 本課程僅限臺北市政府公務人員訓練處【雲端隨行講堂-疫情調查人員教育訓練班(第1期)】之學員 附之【選課密碼】選讀。 報名課程						
		課程總數 1441 門詞		線上人數 2735 人		累計瀏覽人次 05394740人	報名語 208	联日 152
		站着料開放宣言	吉 關於我們				最後更新時間2021-	10-0

Contact tracing for MSM population (HIV case managers)

- Cooperation of the surveillance system for COVID and HIV
- Identify the newly diagnosed COVID-19 case's HIV status
- If positive, connect with the newly diagnosed COVID-19 patient's HIV case manager
- Care about the patient's health status, provide the information of the disease
- HIV case managers assist to trace the possible contactor, and to check SARS-CoV-2

Encourage screen for high risk group

- Provide free self testing kits for high risk group, (antigen or PCR) kits from Taiwan CDC or Taipei City Health Department
- Free PCR screen station in Taipei
- The HIV case managers will arrange special taxi for the patient to the appointed hospital, if the result is positive.




Increase Vaccine Coverage rate

- HIV case manager directly contact with the case one by one to explain about the necessaries of the COVID-19 vaccine for disease prevention.
- Arrange another designed vaccine injection hospital (Taipei City Hospital Kunming Branch, previous STD clinic in Taipei), provide convenient and friendly service only for the HIV cases



Vaccine injection site: separate space, keep privacy, avoid stigma for PLHIV

Epidemic curve after intervention



Summary

- Different countermeasures in different risk group of HIV during COVID-19 pandemic including sex workers, IDU, MSM with rapid response in Taipei
- Contact tracing for the MSM group, on line education program for health care worker, patient education for health monitor, free self testing kits, and free PRR screen station
- Convenient and friendly service for PLHIV COVID-19 vaccination
- Outdoor methadone maintenance therapy service for IDU
- Avoid stigma and discrimination for the vulnerable groups





Thanks for your listening



24